



# 858 Professional Sample Processor CVS

## Dosino

2.858.0120

Dosino 858 Professional Sample Processor CVS Professional VA/CVS **viva** Cyclic Voltammetric Stripping: (CVS) (Brightener) (Suppressor) **viva** 11 mL 56 50 mL 28 Dosino

Dosino 858 Professional Sample Processor CVS Dosino

**2.858.0120**

Qt.	Order no.
1 PCS	1.800.0040 800 Dosino (cable length 0.65 m)

Drive with write/read hardware for intelligent dosing units. With permanently attached cable (length 0.65 m).



1 PCS

**1.858.0010**

### **858 Professional Sample Processor**

The 858 Professional Sample Processor processes samples from 500 µL to 500 mL. The sample transfer takes place either by means of a peristaltic pump on the 850 Professional IC system or with an 800 Dosino.



---

1 PCS

**6.1546.030**

### **Piston tongs**

For pistons for 807 Dosing Units or cylinder units OMNIS.



---

1 PCS

**6.1602.115**

### **Bottle attachment / S 40 / green**

For direct dosing from reagent bottles with S 40 thread (Merck...).




---

1 PCS

**6.1618.020**

### **Thread adapter S 40 to GL 45**

Adapter for bottles with S40 thread (Merck...) to GL45.



1 PCS

**6.1803.020**

**PTFE capillary 0.97 mm i.d. / 5 m**

For all IC instruments



---

1 PCS

**6.1805.530**

**FEP tubing / M6 / 2 m**

With light and kink protection



---

1 PCS

**6.1808.280**

**Adapter 807 Dosing Unit Port 4, M6 inner**

Adapter for using Port 4 of the 807 dosing Unit for connection with an FEP tubing / M6.



---

1 PCS

**6.1815.010**

**Spiral band 0.5 m**

For holding together different cables or tubing.



1 PCS

**6.1819.010**

**PTFE tube**

As gas inlet in washing bottle of VA Stand



1 PCS

**6.1831.020**

**PEEK capillary 0.75 mm i.d., 22 cm**

For all IC components.



1 PCS

**6.1835.050**

**PEEK sample tube**

For sample changers for transferring larger-sized sample volumes, e.g. for brightener determination.




1 PCS

**6.2041.450**

**Sample rack 56 x 11 mL + 56 x 50 mL**

Multi-row sample rack for 56 samples in 11 mL sample vessels (6.2743.050) and 56 samples in sample vessels of 50 mL (6.2747.010).



1 PCS

**6.2057.040**

**Holder for Dosino for Sample Processor**

Holder for Dosino for the 838 / 858 IC Sample Processor and the 838 Advanced VA Sample Processor



---

1 PCS

**6.2151.000**

**Cable USB A – mini-DIN 8-pin**

Controller cable



---

1 PCS

**6.2621.080**

**Capillary cutter**

Cutting tool for simple cutting of plastic capillaries, 1/16" and 1/8", including 5 replacement blades.



---

1 PCS

**6.2621.090**

**1/2 in. wrench**

For 1/2 in. screws. For IC Sample Processors



1 PCS

**6.2621.100****3 mm hex key for IC Sample Processors**

1 PCS

**6.2621.130****Hexagon key 2 mm**

2 mm.



1 PCS

**6.2739.000****Wrench**

For tightening connectors



1 PCS

**6.2743.057****Sample vessel 11 mL**

200 pieces. For IC Sample Processors and VA Autosamplers.

The IC sample vessels are made of polypropylene (PP) plastic for health-care applications. Production and packaging both take place under sterile and clean room conditions (Clean Room Class 7, in accordance with DIN ISO 14644). This guarantees minimal degrees of contamination. The sample vessels are subjected to random checks for leachable anions and cations.



1 PCS

**6.2744.010**

**Pressure screw 5x**

With UNF 10/32 connection. For the connection of PEEK capillaries



2 PCS

**6.2744.080**

**M6 thread / UNF 10/32 adapter**

With M6 outer thread. For IC instruments.



4 PCS

**6.2747.010**

**Sample vessel 50 mL**

With blue screw cap and mL graduation. Set of 25 pieces.




1 PCS

**6.2751.110**

**Safety shield**

Safety shield for the Advanced IC/VA Sample Processors.



807 Dosing Unit with integrated data chip with 5 mL glass cylinder and light protection, mountable to a reagent bottle with ISO/DIN GL 45 glass thread. FEP tubing connection, antidiffusion tip.

